



## Open Archive Toulouse Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of some Toulouse researchers and makes it freely available over the web where possible.

This is an author's version published in: <https://oatao.univ-toulouse.fr/20064>

**Official URL :** <http://dx.doi.org/10.1016/j.ifacol.2015.06.060>

### To cite this version :

Bentaha, Mohand Lounes and Dolgui, Alexandre and Battaïa, Olga A bibliographic review of production line design and balancing under uncertainty. (2015) In: 15th IFAC Symposium on Information Control Problems in Manufacturing (INCOM 2015), 11 May 2015 - 13 May 2015 (Ottawa, Canada).

Any correspondence concerning this service should be sent to the repository administrator:

[tech-oatao@listes-diff.inp-toulouse.fr](mailto:tech-oatao@listes-diff.inp-toulouse.fr)

# A bibliographic review of production line design and balancing under uncertainty

Mohand Lounes Bentaha\* Alexandre Dolgui\* Olga Battaïa\*

\* *École Nationale Supérieure des Mines, CNRS UMR6158  
LIMOS, F-42023 Saint-Étienne, France  
(e-mail: {bentaha,dolgui,battaia}@emse.fr).*

---

**Abstract:** This bibliography reviews the solution methods developed for the design and balancing problems of production lines such as assembly and disassembly lines. The line design problem aims in determining the number of workstations along with the corresponding assignment of tasks to each workstation, while the line balancing problem seeks an assignment of tasks, to the existing workstations of the line, which ensures that the workloads are as equal as possible among the workstations. These two optimisation problems can be also integrated and treated as a multi-objective optimisation problem. This review considers both deterministic and stochastic formulations for disassembly lines and is limited to assembly line design and balancing under uncertainty. This bibliography covers more than 90 publications since 1976 for assembly and 1999 for disassembly.

*Keywords:* Assembly, Disassembly, Line design and balancing, Uncertainty.

---

## 1. INTRODUCTION

A production line can be defined as a succession of workstations where tasks are performed sequentially at each station. The design or balancing of such a system can be reduced to an optimization problem which minimizes or maximizes certain objectives under specified constraints. The design problem aims in determining the number of workstations and the corresponding assignment of tasks to each station. The balancing problem seeks an assignment of tasks, to the existing workstations of the line, which ensures workstations' workloads to be as equal as possible. These two problems can be studied separately or simultaneously using multiobjective optimization tools and techniques.

Throughout this article, we review papers dealing with the design and balancing problems in assembly and disassembly lines. Since the first study on disassembly line balancing appeared in 1999 (Güngör and Gupta (1999)), both deterministic and stochastic formulations are considered for disassembly lines, respectively in Sections 2 and 3. In the latter, the main papers dealing with the assembly line design and balancing under uncertainty are also presented. Comprehensive surveys on deterministic assembly line design and balancing can be found in the literature, e.g. Scholl and Klein (1999); Becker and Scholl (2006); Scholl and Becker (2006); Boysen et al. (2007); Battaïa and Dolgui (2013). Future research directions are given in Section 4.

## 2. DETERMINISTIC DISASSEMBLY LINE DESIGN AND BALANCING

### 2.1 Heuristic and metaheuristic solution approaches

For the problem of the minimization of the number of workstations in the single-product disassembly line, differ-

ent heuristics have been developed in Güngör and Gupta (1999); Duta et al. (2008); Avikal et al. (2013, 2014). Tang et al. (Tang et al. (2001)) presented a heuristic to design a multi-products disassembly line.

Duta et al. (Duta et al. (2005)) applied an equal piles approach to design a disassembly line with the objective to maximize its profit taking into account parts failures. For this problem, Tang and Zhou (2006) used a heuristic approach based on Petri nets.

Güngör and Gupta (2002) introduced a set of relevant optimization criteria for the design of the disassembly lines, such as: idle time minimization, maximization of the disassembly priority of hazardous parts and maximization of the disassembly priority of highly demanded parts. Different multi-objective approximate approaches considering these objectives lexicographically have been proposed in the following studies: a probabilistic distributed intelligent agents and an uninformed deterministic search (McGovern and Gupta (2005)), ant colony algorithm (McGovern and Gupta (2006); Zhu et al. (2014)), genetic algorithms (McGovern and Gupta (2007b)), greedy/hill-climbing, greedy/2-opt hybrid heuristics and hunter-killer heuristic (McGovern and Gupta (2007a)) to deal with the line design problem. A multi-objective heuristic with the same optimization criteria has been proposed by Avikal et al. (2013) for the U-shaped disassembly line design.

Ding et al. (Ding et al. (2009, 2010b,a)) developed a multi-objective ant colony algorithm to deal with the disassembly line design problem where the optimization criteria mentioned above were considered simultaneously. For the same problem, a simulated annealing metaheuristic has been proposed in Kalayci et al. (2012).

Different metaheuristic approaches have been developed in order to integrate line design and sequencing problems: a

heuristic approach based on partial branch and bound concept (Lambert and Gupta (2005)), river formation dynamics (Kalayci and Gupta (2013d)), tabu search (Kalayci and Gupta (2014)), ant colony optimisation approach (Kalayci and Gupta (2013b)) and simulated annealing (Kalayci and Gupta (2013c,a)).

## 2.2 Exact solution approaches

Mathematical programming formulations and exact solution approaches have been also proposed for the disassembly line design and balancing. Altekin et al. (Altekin et al. (2008)) developed an integer programming formulation with profit maximization for the case of partial disassembly. They proposed a lower and upper-bounding scheme based on linear programming relaxation. An and/or graph was used to model the precedence relationships among disassembly tasks. Koc et al. (Koc et al. (2009)) considered the objective of minimizing the number of workstations. Two exact approaches were developed based respectively on mixed integer and dynamic programs. It was shown that a dynamic programming approach was capable of providing exact solutions for larger problem instances.

Other papers, recently, are interested in integrating closed loop supply chain network design and disassembly line balancing problems. Two mixed linear programming formulations have been proposed in Özceylan and Paksoy (2013); Özceylan et al. (2014) to model the problem.

## 3. NON-DETERMINISTIC PRODUCTION LINE DESIGN AND BALANCING

### 3.1 Uncertain assembly task processing times

#### *Modeling with known probabilistic distributions*

The major part of the literature studying uncertainty of assembly task processing times belongs to this subcategory.

To design then balance an assembly line under random task processing times of symmetric known distributions, a heuristic and exact solution approach have been proposed, respectively, in Raouf and Tsui (1982) and Betts and Mahmoud (1989). However, the most frequent model used for assembly task processing times as random variables is the Gaussian distribution. For this model and straight assembly lines, heuristic solution methods (Kao (1979); Carter and Silverman (1984); Silverman and Carter (1986); Chakravarty and Shtub (1986); Shin (1990); Lyu (1997); Fazlollahi et al. (2011)), metaheuristics (Erel et al. (2005); Cakir et al. (2011)) and exact algorithms (Kao (1976); Henig (1986); Sarin et al. (1999)) have been elaborated. The case of a line with workstations paralleling has been studied in McMullen and Frazier (1997). The optimization of U-lines has been conducted in Guerriero and Miltenburg (2003); Chiang and Urban (2006); Baykasoğlu and Özbakır (2007); Bagher et al. (2011); Özcan et al. (2011). Two heuristic approaches for the line re-balancing have been developed in Gamberini et al. (2006, 2009). In Liu et al. (2005), the authors studied the cycle time minimization (or maximization of the line pace).

Exact and heuristic methods have been also proposed to solve the assembly line design with disjoint probabilistic constraints, respectively, for U-lines in Urban and Chiang (2006); Ağpak and Gökçen (2007) and two-sided lines in Özcan (2010).

#### *Modeling with closed intervals*

We suppose that a processing time of an assembly task belongs to an interval of the form  $[a, b]$ ,  $a < b$ ,  $a, b \in \mathbb{R}_+^*$ . The values of  $a$  and  $b$  are respectively the minimum and maximum values that a task processing time can take. No probability distribution is associated with the interval  $[a, b]$ .

Papers dealing with such uncertainty in assembly line design exist already. The authors in Hazır and Dolgui (2013); Gurevsky et al. (2013a), presented formulations and exact solution methods. Stability analysis of feasible and optimal solutions of assembly line design problem and its generalized version, along with exact and heuristic approaches allowing processing time variations of some tasks, have been developed respectively in Gurevsky et al. (2012) and Gurevsky et al. (2013b).

#### *Modeling with fuzzy sets or scenarios*

A task processing time is called fuzzy if its value belongs to a fuzzy subset  $\tilde{T} \subseteq \Omega$ . This subset is defined with its characteristic or membership function  $\mu: \Omega \rightarrow [0, 1]$ ;  $\Omega$  is an uncountably infinite set. For example, for a given value  $v$ ,  $\mu_{\tilde{T}}(v)$  represents the membership degree of  $v$  in  $\tilde{T}$ . Such a type of uncertainty of the task processing times has been studied in Zacharia and Nearchou (2012); Hop (2006); Tsujimura et al. (1995).

In the second case of uncertainty, the task processing times are defined with scenarios (with no associated probabilities) which are predetermined by a certain planning in a given period. This kind of uncertainty of the task processing times has been studied in Dolgui and Kovalev (2012); Xu and Xiao (2011, 2009).

### 3.2 Uncertain disassembly task processing times

Few studies, in the literature, have investigated the disassembly line design and balancing under uncertainty of the task processing times.

A fuzzy colored Petri net model with a heuristic solution method have been proposed in Turowski and Morgan (2005) to study the human factors that cause uncertainty of task processing times. In this study, task times were determined according to a learning process. A collaborative ant colony algorithm for stochastic mixed-model U-shaped disassembly line balancing has been developed in Agrawal and Tiwari (2008). To analyze and compute a global idle time of a mixed disassembly line, with random independent task processing times of identical distributions, the authors in Zhao et al. (2007) presented a modeling and solution approaches using Markov chains. Task times were assumed to be random variables with known normal probability distributions. A binary bi-objective non linear program has been presented in Aydemir-Karadag and Turkbey (2013) for disassembly line design and balancing under uncertainty of the task times. Disassembly task

times were assumed to be independent random variables with known normal probability distributions. Mathematical programming based approaches have been also conducted in Özceylan and Paksoy (2014a,b) to deal with fuzzy task processing times.

In Bentaha et al. (2013e,c,b, 2014e, 2013d,a, 2015, 2014c,d,b,a), mathematical models and exact solution approaches for designing a disassembly (or assembly) line under uncertainty of the task processing times have been developed. Partial disassembly has been taken into account and complex and/or precedence relationships among tasks have been integrated.

First, in Bentaha et al. (2013e,c,b, 2014e), uncertainty was modeled using the notion of recourse cost and a sample average approximation method was developed to solve the studied optimization problem. In other words, these studies aimed in minimizing the line stoppage costs caused by the task processing times uncertainties. Second, in Bentaha et al. (2013d,a, 2015), the goal was to guarantee a certain operational level defined by the designer. Uncertainty was modeled using joint probabilistic cycle time constraints. Third, in Bentaha et al. (2014c,d,b,a), uncertainty was modeled using workstation expectation times. In Bentaha et al. (2014c), the joint problem of disassembly line design and tasks sequencing was studied. In Bentaha et al. (2014d), a Lagrangian relaxation was proposed to maximize the disassembly line profit. In Bentaha et al. (2014a), the line balancing problem has been undertaken under the assumption of the fixed number of workstations.

Some existing articles in the literature treated other kinds of uncertainty which characterize the disassembly lines. The authors in Güngör and Gupta (2001) proposed a heuristic to deal with task failures caused by defective parts of the end of life products to be disassembled. A fuzzy optimization model was proposed in Tripathi et al. (2009) with the objective to maximize the net revenue of the disassembly process under uncertainty of the quality of end of life products. A mixed integer programming based predictive-reactive approach to deal with task failures has been also presented in Altekin and Akkan (2011) with the objective to maximize the profit generated by a disassembly line. The authors in Tuncel et al. (2012) used a Monte Carlo-based reinforcement learning technique to solve the multi-objective line design under demand variations of the end of life products. Uncertainty of end of life products demand has been conducted in Chica et al. (2013). Cycle time uncertainty has been studied in Liu et al. (2013). To deal with the imprecise or fuzzy nature of decision-makers targeted goals in line design and help to find the criteria priority in multi-objective line design, fuzzy multi-objective programming and fuzzy AHP approaches have been, respectively, proposed in Paksoy et al. (2013) and Avikal et al. (2014).

#### 4. CONCLUSION

In this article, we referenced most of the existing papers (about 90 publications) dealing with the assembly and disassembly line design and balancing under uncertainty. Deterministic models for disassembly lines have been also discussed.

This study shows that for non-deterministic production line design and balancing, most of the referenced papers modeled the task processing times as independent normal variables with known probability distributions. The most frequently, such optimization problems have been addressed by heuristic and metaheuristic approaches. Since the design of production lines is a strategic problem of high importance, defining the production costs over a large planning horizon, more effort has to be allocated to the development of efficient exact methods. In the case of the disassembly lines, more attention has to be paid to the high uncertainty of end-of-life product quantity and quality as well as to the environmental impact of such lines.

#### REFERENCES

- Agrawal, S. and Tiwari, M.K. (2008). A collaborative ant colony algorithm to stochastic mixed-model U-shaped disassembly line balancing and sequencing problem. *International Journal of Production Research*, 46(6), 1405–1429.
- Altekin, F.T. and Akkan, C. (2011). Task-failure-driven rebalancing of disassembly lines. *International Journal of Production Research*, 50(18), 4955–4976.
- Altekin, F.T., Kandiller, L., and Ozdemirel, N.E. (2008). Profit-oriented disassembly-line balancing. *International Journal of Production Research*, 46(10), 2675–2693.
- Ağpak, K. and Gökçen, H. (2007). A chance-constrained approach to stochastic line balancing problem. *European Journal of Operational Research*, 180, 1098–1115.
- Avikal, S., Mishra, P.K., and Jain, R. (2014). A fuzzy ahp and promethee method-based heuristic for disassembly line balancing problems. *International Journal of Production Research*, 52(5), 1306–1317.
- Avikal, S., Jain, R., and Mishra, P. (2013). A heuristic for U-shaped disassembly line balancing problems. *MIT International Journal of Mechanical Engineering*, 3(1), 51–56.
- Aydemir-Karadag, A. and Turkbey, O. (2013). Multi-objective optimization of stochastic disassembly line balancing with station paralleling. *Computers & Industrial Engineering*, 65(3), 413–425.
- Bagher, M., Zandieh, M., and Farsijani, H. (2011). Balancing of stochastic U-type assembly lines: an imperialist competitive algorithm. *The International Journal of Advanced Manufacturing Technology*, 54(1–4), 271–285.
- Battaia, O. and Dolgui, A. (2013). A taxonomy of line balancing problems and their solution approaches. *International Journal of Production Economics*, 142(2), 259–277.
- Baykasoğlu, A. and Özbakır, L. (2007). Stochastic U-line balancing using genetic algorithms. *International Journal of Advanced Manufacturing Technology*, 32, 139–147.
- Becker, C. and Scholl, A. (2006). A survey on problems and methods in generalized assembly line balancing. *European Journal of Operational Research*, 168(3), 694 – 715.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2013a). A cone programming approach for stochastic disassembly line balancing in the presence of hazardous parts. In *Proceedings of the 22nd International Conference on Production Research (ICPR 22)*. Iguassu Falls, Brazil.

- Bentaha, M.L., Battaia, O., and Dolgui, A. (2013b). A decomposition method for stochastic partial disassembly line balancing with profit maximization. In *IEEE Automation Science and Engineering (CASE)*, 410–415. Madison, WI.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2013c). L-shaped algorithm for stochastic disassembly line balancing problem. In N. Bakhtadze, K. Chernyshov, A. Dolgui, and V. Lototsky (eds.), *7th IFAC Conference on Manufacturing Modelling, Management, and Control*, volume 7, 407–411. Saint Petersburg, Russia.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2014a). Disassembly line balancing problem with fixed number of workstations under uncertainty. In *19th IFAC World Congress*, 3522–3526. Cape Town, South Africa.
- Bentaha, M.L., Battaia, O., Dolgui, A., and Hu, S.J. (2014b). Dealing with uncertainty in disassembly line design. *CIRP Annals - Manufacturing Technology*, 63(1), 21 – 24.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2013d). Chance constrained programming model for stochastic profit-oriented disassembly line balancing in the presence of hazardous parts. In V. Prabhu, M. Taisch, and D. Kiritsis (eds.), *Advances in Production Management Systems. Sustainable Production and Service Supply Chains*, volume 414 of *IFIP Advances in Information and Communication Technology*, 103–110. Springer Berlin Heidelberg, State College, PA, USA.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2013e). A stochastic formulation of the disassembly line balancing problem. In C. Emmanouilidis, M. Taisch, and D. Kiritsis (eds.), *Advances in Production Management Systems. Competitive Manufacturing for Innovative Products and Services*, volume 397 of *IFIP Advances in Information and Communication Technology*, 397–404. Springer Berlin Heidelberg, Rhodes, Greece.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2014c). Disassembly line balancing and sequencing under uncertainty. *Procedia CIRP*, 15, 239–244.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2014d). Lagrangian relaxation for stochastic disassembly line balancing problem. *Procedia CIRP*, 17, 56–60.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2014e). A sample average approximation method for disassembly line balancing problem under uncertainty. *Computers & Operations Research*, 51, 111–122.
- Bentaha, M.L., Battaia, O., and Dolgui, A. (2015). An exact solution approach for disassembly line balancing problem under uncertainty of the task processing times. *International Journal of Production Research*, 53(6), 1807–1818.
- Betts, J. and Mahmoud, K.I. (1989). Identifying multiple solutions for assembly line balancing having stochastic task times. *Computers and Engineering*, 16(3), 427–445.
- Boysen, N., Fliedner, M., and Scholl, A. (2007). A classification of assembly line balancing problems. *European Journal of Operational Research*, 183(2), 674 – 693.
- Cakir, B., Altiparmak, F., and Dengiz, B. (2011). Multi-objective optimization of a stochastic assembly line balancing: A hybrid simulated annealing algorithm. *Computers & Industrial Engineering*, 60(3), 376 – 384.
- Carter, J.C. and Silverman, F.N. (1984). A cost-effective approach to stochastic line balancing with off-line repairs. *Journal of Operations Management*, 4(2), 145–157.
- Chakravarty, A.K. and Shtub, A. (1986). A cost minimization procedure for mixed model production lines with normally distributed task times. *European Journal of Operational Research*, 23(1), 25 – 36.
- Chiang, W.C. and Urban, T.L. (2006). The stochastic U-line balancing problem: a heuristic procedure. *European Journal of Operational Research*, 175, 1767–1781.
- Chica, M., Óscar Cordon, Damas, S., and Bautista, J. (2013). A robustness information and visualization model for time and space assembly line balancing under uncertain demand. *International Journal of Production Economics*, 145(2), 761 – 772.
- Ding, L.P., Feng, Y.X., Tan, J.R., and Gao, Y.C. (2010a). Multi-objective disassembly line balancing via modified ant colony optimization algorithm. In *Bio-Inspired Computing: Theories and Applications (BIC-TA)*, 2010 *IEEE Fifth International Conference*, 426–430.
- Ding, L.P., Feng, Y.X., Tan, J.R., and Gao, Y.C. (2010b). A new multi-objective ant colony algorithm for solving the disassembly line balancing problem. *The International Journal of Advanced Manufacturing Technology*, 48(5–8), 761–771.
- Ding, L.P., Tan, J.R., Feng, Y.X., and Gao, Y.C. (2009). Multiobjective optimization for disassembly line balancing based on pareto ant colony algorithm. *Jisuanji Jicheng Zhizao Xitong/Computer Integrated Manufacturing Systems, CIMS*, 15(7), 1406–1413+1429.
- Dolgui, A. and Kovalev, S. (2012). Scenario based robust line balancing: Computational complexity. *Discrete Applied Mathematics*, 160(13–14), 1955 – 1963.
- Duta, L., Filip, F.G., and Caciula, I. (2008). Real time balancing of complex disassembly lines. In *Proceedings of the 17th World Congress, The International Federation of Automatic Control*, 913–918.
- Duta, L., Filip, F.G., and Henrioud, J.M. (2005). Applying equal piles approach to disassembly line balancing problem. In *Proceedings of the 16th IFAC World Congress*, 1449–1449.
- Erel, E., Sabuncuoglu, I., and Sekerci, H. (2005). Stochastic assembly line balancing using beam search. *International Journal of Production Research*, 43(7), 1411–1426.
- Fazlollahi, H., Hajmohammadi, H., and Es'haghzadeh, A. (2011). A heuristic methodology for assembly line balancing considering stochastic time and validity testing. *The International Journal of Advanced Manufacturing Technology*, 52(1–4), 311–320.
- Gamberini, R., Gebennini, E., Grassi, A., and Regattieri, A. (2009). A multiple single-pass heuristic algorithm

- solving the stochastic assembly line rebalancing problem. *International Journal of Production Research*, 47(8), 2141–2164.
- Gamberini, R., Grassi, A., and Rimini, B. (2006). A new multi-objective heuristic algorithm for solving the stochastic assembly line re-balancing problem. *International Journal of Production Economics*, 102(2), 226 – 243.
- Guerriero, F. and Miltenburg, J. (2003). The stochastic u-line balancing problem. *Naval Research Logistics (NRL)*, 50(1), 31–57.
- Güngör, A. and Gupta, S.M. (2001). A solution approach to the disassembly line balancing problem in the presence of task failures. *International Journal of Production Research*, 39(7), 1427–1467.
- Güngör, A. and Gupta, S.M. (1999). Disassembly line balancing. In *Proceedings of the 1999 Annual Meeting of the Northeast Decision Sciences Institute*, 193–195.
- Güngör, A. and Gupta, S.M. (2002). Disassembly line in product recovery. *International Journal of Production Research*, 40(11), 2569–2589.
- Gurevsky, E., Hazir, O., Battaia, O., and Dolgui, A. (2013a). Robust balancing of straight assembly lines with interval task times. *Journal of the Operational Research Society*, 64(11), 1607–1613.
- Gurevsky, E., Battaia, O., and Dolgui, A. (2012). Balancing of simple assembly lines under variations of task processing times. *Annals of Operations Research*, 201(1), 265–286.
- Gurevsky, E., Battaia, O., and Dolgui, A. (2013b). Stability measure for a generalized assembly line balancing problem. *Discrete Applied Mathematics*, 161(3), 377 – 394.
- Hazir, O. and Dolgui, A. (2013). Assembly line balancing under uncertainty: Robust optimization models and exact solution method. *Computers & Industrial Engineering*, 65(2), 261 – 267.
- Henig, M.I. (1986). Extensions of the dynamic programming method in the deterministic and stochastic assembly-line balancing problems. *Computers & Operations Research*, 13(4), 443 – 449.
- Hop, N.V. (2006). A heuristic solution for fuzzy mixed-model line balancing problem. *European Journal Of Operational Research*, 168, 789–810.
- Johnson, R.V. (1983). A branch and bound algorithm for assembling line balancing problems with formulation irregularities. *Management Science*, 29(11), 1309–1324.
- Kalayci, C.B. and Gupta, S.M. (2013a). *Balancing a sequence dependent disassembly line using simulated annealing algorithm*, volume 16 of *Applications of Management Science*, 81–103. Emerald Group Publishing Limited.
- Kalayci, C.B. and Gupta, S.M. (2013b). Ant colony optimization for sequence-dependent disassembly line balancing problem. *Journal of Manufacturing Technology Management*, 24(3), 413–427.
- Kalayci, C.B. and Gupta, S.M. (2013c). A particle swarm optimization algorithm with neighborhood-based mutation for sequence-dependent disassembly line balancing problem. *The International Journal of Advanced Manufacturing Technology*, 69(1–4), 197–209.
- Kalayci, C.B. and Gupta, S.M. (2013d). *River Formation Dynamics Approach for Sequence-Dependent Disassembly Line Balancing Problem*, chapter 12, 289–312. CRC Press.
- Kalayci, C.B. and Gupta, S.M. (2014). A tabu search algorithm for balancing a sequence-dependent disassembly line. *Production Planning & Control*, 25(2), 149–160.
- Kalayci, C.B., Gupta, S.M., and Nakashima, K. (2012). A simulated annealing algorithm for balancing a disassembly line. In M. Matsumoto, Y. Umeda, K. Masui, and S. Fukushima (eds.), *Design for Innovative Value Towards a Sustainable Society*, 714–719. Springer Netherlands.
- Kao, E.P.C. (1976). A preference order dynamic program for stochastic assembly line balancing. *Management Science*, 22(10), 1097–1104.
- Kao, E.P.C. (1979). Computational experience with a stochastic assembly line balancing algorithm. *Computers & Operations Research*, 6(2), 79–86.
- Koc, A., Sabuncuoglu, I., and Erel, E. (2009). Two exact formulations for disassembly line balancing problems with task precedence diagram construction using an AND/OR graph. *IIE Transactions*, 41(10), 866–881.
- Lambert, A.J.D. and Gupta, S.M. (2005). A heuristic solution for the disassembly line balancing problem incorporating sequence dependent costs. In *Proc. SPIE 5997, Environmentally Conscious Manufacturing V*, 59970A, 73–80.
- Liu, B.Y., Chen, W.D., and Huang, S. (2013). Research on disassembly line balancing problem in the presence of uncertain cycle time. In *International Asia Conference on Industrial Engineering and Management Innovation: Core Areas of Industrial Engineering, IEMI 2012 - Proceedings*, 497–507.
- Liu, S., Ong, H., and Huang, H. (2005). A bidirectional heuristic for stochastic assembly line balancing Type ii problem. *International Journal of Advanced Manufacturing Technology*, 25, 71–77.
- Lyu, J. (1997). A single-run optimization algorithm for stochastic assembly line balancing problems. *Journal of Manufacturing Systems*, 16(3), 204 – 210.
- McGovern, S.M. and Gupta, S.M. (2007a). Combinatorial optimization analysis of the unary NP-complete disassembly line balancing problem. *International Journal of Production Research*, 45(18–19), 4485–4511.
- McGovern, S.M. and Gupta, S.M. (2005). Uninformed and probabilistic distributed agent combinatorial searches for the unary NP-complete disassembly line balancing problem. In *Proc. SPIE 5997, Environmentally Conscious Manufacturing V*, 59970B.
- McGovern, S.M. and Gupta, S.M. (2006). Ant colony optimization for disassembly sequencing with multiple

- objectives. *The International Journal of Advanced Manufacturing Technology*, 30(5-6), 481–496.
- McGovern, S.M. and Gupta, S.M. (2007b). A balancing method and genetic algorithm for disassembly line balancing. *European Journal of Operational Research*, 179(3), 692–708.
- McGovern, S.M. and Gupta, S.M. (2011). *The Disassembly Line, Balancing and Modeling*. McGraw-Hill Companies, New York, 2011 edition.
- McMullen, P.R. and Frazier, G.V. (1997). A heuristic for solving mixed-model line balancing problems with stochastic task durations and parallel stations. *International Journal of Production Economics*, 51(3), 177 – 190.
- Özcan, U., Kellegöz, T., and Toklu, B. (2011). A genetic algorithm for the stochastic mixed-model U-line balancing and sequencing problem. *International Journal of Production Research*, 49(6), 1605–1626.
- Özcan, U. (2010). Balancing stochastic two-sided assembly lines: A chance-constrained, piecewise-linear, mixed integer program and a simulated annealing algorithm. *European Journal of Operational Research*, 205(1), 81 – 97.
- Özceylan, E. and Paksoy, T. (2013). Reverse supply chain optimisation with disassembly line balancing. *International Journal of Production Research*, 51(20), 5985–6001.
- Özceylan, E., Paksoy, T., and Bektaş, T. (2014). Modeling and optimizing the integrated problem of closed-loop supply chain network design and disassembly line balancing. *Transportation Research Part E: Logistics and Transportation Review*, 61, 142–164.
- Özceylan, E. and Paksoy, T. (2014a). Fuzzy mathematical programming approaches for reverse supply chain optimization with disassembly line balancing problem. *Journal of Intelligent and Fuzzy Systems*, 26(4), 1969–1985.
- Özceylan, E. and Paksoy, T. (2014b). Interactive fuzzy programming approaches to the strategic and tactical planning of a closed-loop supply chain under uncertainty. *International Journal of Production Research*, 52(8), 2363–2387.
- Paksoy, T., Güngör, A., Özceylan, E., and Hancilar, A. (2013). Mixed model disassembly line balancing problem with fuzzy goals. *International Journal of Production Research*, 51(20), 6082–6096.
- Raouf, A. and Tsui, C.L. (1982). A new method for assembly line balancing having stochastic work elements. *Computers & Industrial Engineering*, 6(2), 131–148.
- Sarin, S.C., Erel, E., and Dar-el, E.M. (1999). A methodology for solving single-model, stochastic assembly line balancing problem. *The International Journal of Management Science*, 27, 525–535.
- Scholl, A. and Becker, C. (2006). State-of-the-art exact and heuristic solution procedures for simple assembly line balancing. *European Journal of Operational Research*, 168(3), 666 – 693.
- Scholl, A. and Klein, R. (1999). Balancing assembly lines effectively—a computational comparison. *European Journal of Operational Research*, 114(1), 50 – 58.
- Shin, D. (1990). An efficient heuristic for solving stochastic assembly line balancing problems. *Computers & Industrial Engineering*, 18(3), 285–295.
- Silverman, F.N. and Carter, J.C. (1986). A cost-based methodology for stochastic line balancing with intermittent line stoppages. *Management Science*, 32(4), 455–463.
- Tang, Y. and Zhou, M.C. (2006). A systematic approach to design and operation of disassembly lines. *IEEE Transactions on Automation Science and Engineering*, 3, 324–329.
- Tang, Y., Zhou, M., and Caudill, R. (2001). A systematic approach to disassembly line design. In *Electronics and the Environment. Proceedings of the IEEE International Symposium*, 173–178.
- Tripathi, M., Agrawal, S., Pandey, M.K., Shankar, R., and Tiwari, M. (2009). Real world disassembly modeling and sequencing problem: Optimization by Algorithm of Self-Guided Ants (ASGA). *Robotics and Computer-Integrated Manufacturing*, 25(3), 483–496.
- Tsujimura, Y., Gen, M., and Kubota, E. (1995). Solving fuzzy assembly-line balancing problem with genetic algorithms. *Computers and Industrial Engineering*, 29, 543–547.
- Tuncel, E., Zeid, A., and Kamarthi, S. (2012). Solving large scale disassembly line balancing problem with uncertainty using reinforcement learning. *Journal of Intelligent Manufacturing*, 1–13.
- Turowski, M. and Morgan, M. (2005). Disassembly line design with uncertainty. *2005 IEEE International Conference on Systems, Man and Cybernetics*, 1, 954–959.
- Urban, T.L. and Chiang, W.C. (2006). An optimal piecewise-linear program for the U-line balancing problem with stochastic task times. *European Journal of Operational Research*, 168, 771–782.
- Xu, W. and Xiao, T. (2009). Robust balancing of mixed model assembly line. *COMPEL: The International Journal for Computation and Mathematics in Electrical and Electronic Engineering*, 28(6), 1489–1502.
- Xu, W. and Xiao, T. (2011). Strategic robust mixed model assembly line balancing based on scenario planning. *Tsinghua Science & Technology*, 16(3), 308–314.
- Zacharia, P. and Nearchou, A. (2012). Multi-objective fuzzy assembly line balancing using genetic algorithms. *Journal of Intelligent Manufacturing*, 23(3), 615–627.
- Zhao, X., Liu, J., Ohno, K., and Kotani, S. (2007). Modeling and analysis of a mixed-model assembly line with stochastic operation times. *Naval Research Logistics (NRL)*, 54(6), 681–691.
- Zhu, X., Zhang, Z., Zhu, X., and Hu, J. (2014). An ant colony optimization algorithm for multi-objective disassembly line balancing problem. *Zhongguo Jixie China Mechanical Engineering*, 25(8), 1075–1079.